

The DEMO Company, LLC  
 Repaired by The DEMO Company, LLC  
 Invoice No: **BRC**  
 Acct Yr/Mo: -

CS - Contract Shop  
 BR - Billing Repair Card

Arrived: 7/28/2004  
**BRC**

Car Initial: **XYZ** Car Number: **123456** Kind: **H** Responsibility of: **RailTech Software Systems**

D/C Initial

D/C Date:

Date of Repair: **08/11/2008**

Repaired at **112233 - Concord, California**

Load/Empty: **Empty**

LO	Qty	C Applied		Description	Removed				Labor	Material	Total
		C	Job QF		WM	Job	QF	RESP			
L	0.1	0	4450 QY	REMOVE HOME SHOP FOR REPAIR DECAL	09	4450	QY	1	5.00	0.00	5.00
R	0.1	0	4450 QY	REMOVE HOME SHOP FOR REPAIR DECAL	09	4450	QY	1	5.00	0.00	5.00
A	1.0	1	2052 HZ	REPLACE E50AC KNUCKLE (WITH E50AE)	02	2052	HZ	1	5.95	125.26	131.21
R3	1.0	1	4414 FK	REPLACE SIDEFAME WEAR PLATE BOLT	18	4414	FK	1	5.90	1.21	7.11
BR	1.0	1	4404 AR	REPLACE ANGLE COCK U BOLT	18	4404	AR	1	5.25	0.38	5.63
BL	0.5	0	4450 QX	REMOVE SIDE RUNNING BOARD	09	4450	QX	1	25.00	0.00	25.00
BL	1.0	1	4099 QX	REPLACE TOP SIDE RUNNING BOARD	02	4099	QX	1	0.00	296.40	296.40
BL	8.0	1	4410 QX	APPLY RUNNING BOARD BOLTS	09	4410	QX	1	47.18	6.48	53.66
AL	1.0	0	4800 QX	WELD CRACKED RUNNING BOARD	02	4800	QX	1	2.00	0.00	2.00
B	1.0	1	1498 AA	APPLY BRAKE CYLINDER MEASUREMENT TAP	09	1498	AA	1	5.10	7.73	12.83
B	1.0	1	1500 AA	APPLY BRAKE CYLINDER TAP ADAPTER	09	1500	AA	1	12.70	19.31	32.01
B	1.0	1	1992 BZ	PAINT HAND BRAKE CHAIN	27	1992	BZ	1	3.90	0.24	4.14
L	8.0	1	5500 QY	APPLY REFLECTIVE TAPE TO SIDE OF CAR	27	5500	QY	1	22.25	16.00	38.25
R	8.0	1	5500 QY	APPLY REFLECTIVE TAPE TO SIDE OF CAR	27	5500	QY	1	22.25	16.00	38.25
AB	1.0	7	1145 00	SCT USE A MANUAL SCT DEVICE, 1 SET	21	1145	00	1	51.90	0.42	52.32
AB	1.0	0	8512 00	SWITCHING COST	09	8512	00	1	65.00	0.00	65.00
AB	1.0	0	8518 00	INCOMING INSPECTION	09	8518	00	1	65.00	0.00	65.00
<b>Total Amount</b>									<b>349.38</b>	<b>489.43</b>	<b>838.81</b>

Car Initial: **XYZ** Car Number: **123456** Kind: **H** Responsibility of: **RailTech Software Systems**

D/C Initial **ABCD** D/C Date: **07/13/2004**

Date of Repair: **08/11/2008**

Repaired at **112233 - Concord, California**

Load/Empty: **Empty**

LO	Qty	C Applied		Description	Removed			RESP	Labor	Material	Total
		C	Job QF		WM	Job	QF				
AR	6.0	1	4204 QY	PATCH HOLE IN SIDE SHEET	02	4204 QY	3	0.00	10.02	10.02	
AR	10.0	0	4800 QY	WELD PATCH TO SIDE SHEET	09	4800 QY	3	20.00	0.00	20.00	
1	1.0	1	4099 NY	APPLY NEW HOPPER GATE	02	4099 NY	3	0.00	865.00	865.00	
1	330.0	0	4800 NY	WELD GATE ASSEMBLY COMPLETE	09	4800 NY	3	660.00	0.00	660.00	
2	1.0	1	4099 NY	APPLY NEW HOPPER GATE	02	4099 NY	3	0.00	865.00	865.00	
2	330.0	0	4800 NY	WELD GATE ASSEMBLY COMPLETE	09	4800 NY	3	660.00	0.00	660.00	
3	1.0	1	4099 NY	APPLY NEW HOPPER GATE	02	4099 NY	3	0.00	865.00	865.00	
3	330.0	0	4800 NY	WELD GATE ASSEMBLY COMPLETE	09	4800 NY	3	660.00	0.00	660.00	
A	4.0	0	4450 NX	H/STRAIGHTEN HOPPER CHUTES	05	4450 NX	3	200.00	0.00	200.00	
A	77.0	1	4204 NX	PATCH HOLES IN HOPPER CHUTE	02	4204 NX	3	0.00	128.59	128.59	
A	240.0	0	4800 NX	WELD PATCHES TO HOPPER CHUTE	09	4800 NX	3	480.00	0.00	480.00	
B	4.0	0	4450 NX	H/STRAIGHTEN HOPPER CHUTES	05	4450 NX	3	200.00	0.00	200.00	
B	108.0	1	4204 NX	PATCH HOLES IN HOPPER CHUTE	02	4204 NX	3	0.00	180.36	180.36	
B	662.0	0	4800 NX	WELD PATCHES TO HOPPER CHUTE	09	4800 NX	3	1324.00	0.00	1,324.00	
A	0.5	0	4450 ZF	H/STRAIGHTEN SHAKER PADS	05	4450 ZF	3	25.00	0.00	25.00	
A	12.0	1	4414 ZF	R/R SHAKER PADS TO ACCESS REPAIRS	09	4414 ZF	3	70.77	14.52	85.29	
B	0.5	0	4450 ZF	H/STRAIGHTEN SHAKER PADS	05	4450 ZF	3	25.00	0.00	25.00	
B	12.0	1	4414 ZF	R/R SHAKER PADS TO ACCESS REPAIRS	09	4414 ZF	3	70.77	14.52	85.29	
L	5.0	0	4450 NX	H/STRAIGHTEN CHUTE SIDE AND END PLATES	05	4450 NX	3	250.00	0.00	250.00	
A	2.0	8	4593 QT	H/STRAIGHTEN SIDE LADDERS	05	4593 QT	3	43.20	94.20	137.40	
BL	1.0	1	4593 QT	REPLACE SIDE LADDER	02	4593 QT	3	21.60	58.43	80.03	
AR	1.0	8	4594 MM	H/STRAIGHTEN END LADDER	05	4594 MM	3	131.40	82.97	214.37	
AL	1.0	0	4450 KQ	H/STRAIGHTEN CORNER POST	05	4450 KQ	3	50.00	0.00	50.00	
BL	59.0	1	4204 KQ	REPLACE CORNER POST	02	4204 KQ	3	0.00	98.53	98.53	
BL	25.0	1	4410 KQ	APPLY CORNER POST SECUREMENT BOLTS	09	4410 KQ	3	147.44	20.25	167.69	
BL	44.0	1	4204 QW	REPLACE SIDE POST	02	4204 QW	3	0.00	73.48	73.48	
BL	9.0	1	4410 QW	REPLACE SIDE POST SECUREMENT BOLTS	09	4410 QW	3	53.08	7.29	60.37	
L	2.0	0	4450 HE	H/STRAIGHTEN SIDE SILL, ANGLES AND DRESS	05	4450 HE	3	100.00	0.00	100.00	
R	2.0	0	4450 HE	H/STRAIGHTEN SIDE SILL, ANGLES AND DRESS	05	4450 HE	3	100.00	0.00	100.00	
A	1.0	9	4474 HR	R&R COUPLER BODY	09	4474 HR	3	28.25	0.12	28.37	
A	1.0	9	4470 JK	R/R DRAFT GEAR	09	4470 JK	3	38.35	7.26	45.61	
A	4.0	1	4414 GT	REPLACE DRAFT SILL/END SILL BOLTS	09	4414 GT	3	23.59	4.84	28.43	
A	8.0	1	4410 MM	R/R END LADDER STILE TO ACCESS REPAIRS	09	4410 MM	3	47.18	6.48	53.66	
A	4.0	1	4410 NH	R/R END HANDGRABS TO ACCESS REPAIRS	09	4410 NH	3	23.59	3.24	26.83	
AR	2.0	1	4410 JS	R/R UNCOUPLING LEVER BRACKET FOR ACCESS	09	4410 JS	3	11.80	1.62	13.42	
A	104.0	1	4204 GW	REPLACE END SILL ANGLE	06	4204 GW	3	0.00	173.68	173.68	
A	7.0	1	4410 GW	APPLY END SILL ANGLE BOLTS	09	4410 GW	3	41.28	5.67	46.95	
A	5.0	8	4001 MT	H/STRAIGHTEN END RUNNING BOARD	05	4001 MT	3	17.01	39.25	56.26	

The DEMO Company, LLC  
 Repaired by The DEMO Company, LLC  
 Invoice No: **BRC**  
 Acct Yr/Mo: -

CS - Contract Shop  
 DC - Defect Card

Arrived: 7/28/2004  
**BRC**

Car Initial: **XYZ** Car Number: **123456** Kind: **H** Responsibility of: **RailTech Software Systems**

D/C Initial **ABCD** D/C Date: **07/13/2004**

Date of Repair: **08/11/2008**

Repaired at **112233 - Concord, California**

Load/Empty: **Empty**

LO	Qty	C Applied		Description	Removed				Labor	Material	Total
		C	Job QF		WM	Job	QF	RESP			
A	4.0	1	4410 QJ	R/R RUNNING BOARD BRACKETS	09	4410 QJ	3	23.59	3.24	26.83	
A	0.5	0	4450 QJ	H/STR. RUNNING BOARD BRACKETS (3 TOTAL)	05	4450 QJ	3	25.00	0.00	25.00	
AL	86.0	1	4204 MT	REPLACE END ANGLE POST	06	4204 MT	3	0.00	143.62	143.62	
AL	8.0	1	4410 MR	APPLY SECUREMENT BOLTS TO ABOVE	09	4410 MR	3	47.18	6.48	53.66	
A	5.0	8	4582 NF	H/STRAIGHTEN END HANDRAIL	05	4582 NF	3	46.01	135.75	181.76	
AL	1.0	0	4450 GT	H/STRAIGHTEN STRIKER SIDE IRON	05	4450 GT	3	50.00	0.00	50.00	
AL	5.0	0	4800 GT	WELD STRIKER SIDE IRON	09	4800 GT	3	10.00	0.00	10.00	
AL	1.0	1	4406 AR	R/R ANGLE COCK U BOLT	09	4406 AR	3	5.90	2.66	8.56	
AL	6.0	1	4204 AQ	REPLACE ANGLE COCK BRACKET	06	4204 AQ	3	0.00	10.02	10.02	
AL	5.0	0	4800 AQ	WELD ANGLE COCK BRACKET SECURE	09	4800 AQ	3	10.00	0.00	10.00	
AL	1.0	0	4450 GT	H/STRAIGHTEN DRAFT SILL BRAKE LEVER	05	4450 GT	3	50.00	0.00	50.00	
L	0.5	0	4450 GW	H/STRAIGHTEN END SILL STIFFENER ANGLES	05	4450 GW	3	25.00	0.00	25.00	
A	1.0	1	2162 HS	REPLACE COUPLER CARRIER AND WELD (32")	02	2162 HS	3	112.30	30.06	142.36	
A	12.0	0	4800 HU	R/R COUPLER CARRIER WEAR PLATE	09	4800 HU	3	24.00	0.00	24.00	
AL	82.0	1	4204 FW	REPLACE BOTTOM FLANGE ON BODY BEARING	06	4204 FW	3	0.00	136.94	136.94	
AL	48.0	0	4800 FW	WELD BOTTOM FLANGE SECURE	09	4800 FW	3	96.00	0.00	96.00	
A	1.0	1	4458 00	LABOUR, JACK CAR AND REMOVE TRUCKS	09	4458 00	3	41.45	0.12	41.57	
B	1.0	1	4458 00	LABOUR, JACK CAR AND REMOVE TRUCKS	09	4458 00	3	41.45	0.12	41.57	
L	4.0	0	4450 FQ	H/STRAIGHTEN BODY BOLSTER FLANGES	05	4450 FQ	3	200.00	0.00	200.00	
L1	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
L2	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
L3	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
L4	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
R1	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
R2	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
R3	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
R4	1.0	1	3778 FJ	APPLY TRANSDYNE ROOF LINER	03	3778 FJ	3	11.45	4.38	15.83	
A	4.0	1	1840 BE	APPLY 2" HF COMP. BRAKE SHOES	03	1840 BE	3	23.80	24.88	48.68	
A	4.0	1	1852 BF	APPLY BRAKE SHOE KEYS	03	1852 BF	3	18.21	7.52	25.73	
B	4.0	1	1840 BE	APPLY 2" HF COMP. BRAKE SHOES	03	1840 BE	3	23.80	24.88	48.68	
B	4.0	1	1852 BF	APPLY BRAKE SHOE KEYS	03	1852 BF	3	18.21	7.52	25.73	
B	1.0	8	2486 JS	H/STRAIGHTEN UNCOUPLING LEVER BRACKET	05	2486 JS	3	6.80	6.90	13.70	
B	1.0	1	2480 JV	REPLACE UNCOUPLING LEVER	03	2480 JV	3	5.80	17.57	23.37	
A	1.0	1	2480 JV	REPLACE UNCOUPLING LEVER	03	2480 JV	3	5.80	17.57	23.37	
BL	0.5	0	4450 FJ	DRESS GOUGED SIDEFRAME	09	4450 FJ	3	25.00	0.00	25.00	
2	1.0	1	1654 AW	APPLY #18 BRAKE BEAM	03	1654 AW	3	70.05	79.86	149.91	
4	1.0	1	1654 AW	APPLY #18 BRAKE BEAM	03	1654 AW	3	70.05	79.86	149.91	
A	1.5	0	4450 MP	H/STRAIGHTEN TOP END PLATE	05	4450 MP	3	75.00	0.00	75.00	

Car Initial: **XYZ** Car Number: **123456** Kind: **H** Responsibility of: **RailTech Software Systems**

D/C Initial **ABCD** D/C Date: **07/13/2004**

Date of Repair: **08/11/2008**

Repaired at **112233 - Concord, California**

Load/Empty: **Empty**

LO	Qty	C Applied		Description	Removed			RESP	Labor	Material	Total
		C	Job QF		WM	Job	QF				
AR	1.0	1	3954 FC	APPLY STUCKI HYDRAULIC SNUBBER UNIT	03	3954 FC	3	5.85	196.71	202.56	
L	5.0	1	3933 FM	APPLY D6A SPRINGS	03	3933 FM	3	29.26	20.30	49.56	
R	5.0	1	3933 FM	APPLY D6A SPRINGS	03	3933 FM	3	29.26	20.30	49.56	
AL	1.0	0	4450 FQ	H/STR. BODY BEARING STIFFENER PLATES	05	4450 FQ	3	50.00	0.00	50.00	
A	2.0	1	4410 NH	R/R TOP HAND GRAB	09	4410 NH	3	11.80	1.62	13.42	
A	7.0	1	4005 MT	REPLACE TOP END RUNNING BOARD	06	4005 MT	3	23.81	82.25	106.06	
A	1.0	1	4018 KR	REPLACE CROSSOVER BOARD	06	4018 KR	3	35.35	54.01	89.36	
B	2.0	1	4410 NH	R/R TOP HAND GRAB	09	4410 NH	3	11.80	1.62	13.42	
B	7.0	1	4005 MT	REPLACE TOP END RUNNING BOARD	06	4005 MT	3	23.81	82.25	106.06	
B	1.0	1	4018 KR	REPLACE CROSSOVER BOARD	06	4018 KR	3	35.35	54.01	89.36	
L	22.0	1	4005 QX	REPLACE TOP SIDE RUNNING BOARDS	02	4005 QX	3	74.83	258.50	333.33	
R	44.0	1	4005 QX	REPLACE TOP SIDE RUNNING BOARDS	06	4005 QX	3	149.67	517.00	666.67	
R	40.0	1	4204 QJ	REPLACE TOP SIDE RUNNING BOARD BRKTS	06	4204 QJ	3	0.00	66.80	66.80	
R	18.0	0	4800 QJ	WELD RUNNING BOARD BRACKETS SECURE	09	4800 QJ	3	36.00	0.00	36.00	
AR	2.0	0	4800 QJ	G/WELD CRACKED END RUNNING BOARD BRKT	02	4800 QJ	3	4.00	0.00	4.00	
A	2.0	1	4099 NK	REPLACE FIBREGLASS HATCH COVERS	02	4099 NK	3	0.00	1175.00	1,175.00	
A	2.0	1	4099 NK	REPLACE BATTEN BARS	02	4099 NK	3	0.00	146.00	146.00	
A	5.0	1	4410 NK	APPLY HATCH COVER BOLTS	09	4410 NK	3	29.49	4.05	33.54	
B	2.0	1	4099 NK	REPLACE FIBREGLASS HATCH COVERS	02	4099 NK	3	0.00	1175.00	1,175.00	
B	2.0	1	4099 NK	REPLACE BATTEN BARS	02	4099 NK	3	0.00	146.00	146.00	
B	5.0	1	4410 NK	APPLY HATCH COVER BOLTS	09	4410 NK	3	29.49	4.05	33.54	
AL	2.0	1	4092 FQ	REPLACE BODY BEARING SHIMS	19	4092 FQ	3	8.90	20.88	29.78	
A	4.0	1	1800 CC	APPLY BRAKE LEVERS	03	1800 CC	3	26.39	149.92	176.31	
A	37.0	1	4204 AT	APPLY 7/8" BRAKE RODS C/W FITTINGS	03	4204 AT	3	0.00	68.08	68.08	
A	36.0	0	4800 DF	WELD ABOVE SECURE	09	4800 DF	3	72.00	0.00	72.00	
A	6.0	1	4400 DH	APPLY COTTER PINS FOR ABOVE	03	4400 DH	3	23.39	0.72	24.11	
A	6.0	1	1742 BD	APPLY BRAKE PINS	03	1742 BD	3	39.90	19.56	59.46	
B	3.0	1	1800 CC	APPLY BRAKE LEVERS	03	1800 CC	3	19.80	112.44	132.24	
B	37.0	1	4204 AT	APPLY 7/8" BRAKE RODS C/W FITTINGS	03	4204 AT	3	0.00	68.08	68.08	
B	36.0	0	4800 DF	WELD ABOVE SECURE	09	4800 DF	3	72.00	0.00	72.00	
B	6.0	1	4400 DH	APPLY COTTER PINS FOR ABOVE	03	4400 DH	3	23.39	0.72	24.11	
B	6.0	1	1742 BD	APPLY BRAKE PINS	03	1742 BD	3	39.90	19.56	59.46	
A	30.0	1	4602 ZF	PAINT ALL WORKED AREAS/NEW MAT'L	09	4602 ZF	3	21.02	7.20	28.22	
B	30.0	1	4602 ZF	PAINT ALL WORKED AREAS/NEW MAT'L	09	4602 ZF	3	21.02	7.20	28.22	
<b>Total Amount</b>								7712.79	8870.76	16,583.55	